




# RETRACTAFRAME™ SERIES DOCK SHELTER

# NORDOCK®

## FEATURE SUMMARY

- Selection of High Tear Abrasion Resistant Fabrics
- Tubular Steel Frame Construction
- Double Stitched With High Strength Thread
- Yellow Guide Stripes for Driver Positioning
- Bottom Draft Pads
- Galvanized Steel Mounting Hardware



### SITE DIMENSIONS

DOOR WIDTH: \_\_\_\_\_"

DOOR HEIGHT: \_\_\_\_\_"

DOCK HEIGHT: \_\_\_\_\_"

BUMPER PROJECTION: \_\_\_\_\_"

APPROACH GRADE: \_\_\_\_\_ % SLOPE

INCLINE  DECLINE  SPLIT DECLINE  \_\_\_\_\_" LEVEL

GRADE WALL EXTENSION: \_\_\_\_\_"

BUILDING WALL SETBACK: \_\_\_\_\_"

### ORDER INFORMATION

BILL TO: \_\_\_\_\_

SHIP TO: \_\_\_\_\_

ORDER DATE: \_\_\_\_\_ QUANTITY \_\_\_\_\_

COST EACH: \_\_\_\_\_ TOTAL COST \_\_\_\_\_

PURCHASE ORDER NO. \_\_\_\_\_

SALES PERSON: \_\_\_\_\_

### SHELTER SPECIFICATIONS/OPTIONS

PANEL FABRIC: 22OZ. VINYL

40 OZ. VINYL

40 OZ. HYPALON

50 OZ. WEARTOUGH

UNIT WIDTH: 138"  OTHER \_\_\_\_\_"

UNIT HEIGHT: 132"  OTHER \_\_\_\_\_"

SIDE CURTAIN: 24" WIDE  OTHER \_\_\_\_\_"

BOTTOM DOUBLE LAYER

REINFORCED EDGE

UNIT PROJECTION: 24"  OTHER \_\_\_\_\_"

HEAD CURTAIN: 36" DROP  OTHER \_\_\_\_\_"

GUSSETS

OPTION: GALVANIZED FRAME

OTHER: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

QUOTED BY: \_\_\_\_\_